Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 11

MARCH 16, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Rack and disinfector for clinical thermometers—A convenient portable apparatus 403

PREVALENCE OF DISEASE.

United States:

Cerebrospinal meningitis—

Minnesota 406

Hawaii report for January, 1917 407

City reports for week ended February 24, 1917 407

Erysipelas—

City reports for week ended February 24, 1917 407

Leprosy—

City report for week ended February 24, 1917 407

Malaria—

City reports for week ended February 24, 1917 407

Measles—

California—Los Angeles 408

Kentucky—Louisville 408

Washington—Seattle 408

Pellagra—

City reports for week ended February 24, 1917 408

Pneumonia—

City reports for week ended February 24, 1917 408

Poliomyelitis (infantile paralysis)—

City reports for week ended February 24, 1917 409

Rabies in animals—

City reports for week ended February 24, 1917 409

Smallpox—

Connecticut 409

Massachusetts—Worcester 409

Minnesota 409

Texas—Galveston 409

Oregon report for January, 1917 410

City reports for week ended February 24, 1917 410

Tetanus—

City reports for week ended February 24, 1917 410

Typhoid fever—

State reports for January, 1917 410

City reports for week ended February 24, 1917 411

Typhus fever—

Texas 411

City report for week ended February 24, 1917 411

Preventable diseases—

Massachusetts report for week ended February 17, 1917 411

Massachusetts report for week ended February 24, 1917 412

Diphtheria, measles, scarlet fever, and tuberculosis—

State reports for January, 1917 412

City reports for week ended February 24, 1917 412

Foreign:
China—
Page.
Examination of rats—Shanghai 416
Plague-infected rats—Hongkong 416
Chosen (Korea)—
Cholera—Summary, August-December, 1916 416
Great Britain—
Examination of rats, August-December, 1916—Bristol 416
Union of South Africa—
Plague—Transvaal 416
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended March 16, 1917—
Cholera 417
Plague 417
Smallpox 417
Typhus fever 418
Reports received from December 30, 1916, to March 9, 1917—
Cholera 418
Plague 419
Smallpox 421
Typhus fever 423
Yellow fever 424